

236

JOB 22. 1915. R325

FIELD BOOK

360

KEUFFEL & ESSER CO.

DRAWING MATERIALS

AND

SURVEYING INSTRUMENTS.

NEW YORK.

CHICAGO. ST. LOUIS. SAN FRANCISCO. MONTREAL.

TABLES FOR EXCAVATIONS AND EMBANKMENTS.

DISTANCES FROM CENTER OF ROADWAY FOR CROSS-SECTIONING.

ROADWAY 18 FEET WIDE. SIDE SLOPES 1 TO 1.

FOR SINGLE TRACK EXCAVATION.

"Copyright, 1895, by Keuffel & Esser Co."

	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	0
1	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	1
2	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	2
3	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	3
4	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	4
5	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	5
6	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	6
7	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	7
8	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	8
9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	9
10	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	10
11	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	11
12	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	12
13	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	13
14	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	14
15	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	15
16	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	16
17	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	17
18	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	18
19	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	19
20	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	20
21	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	21
22	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	22
23	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	23
24	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	24
25	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	34.9	25
26	35.0	35.1	35.2	35.3	35.4	35.5	35.6	35.7	35.8	35.9	26
27	36.0	36.1	36.2	36.3	36.4	36.5	36.6	36.7	36.8	36.9	27
28	37.0	37.1	37.2	37.3	37.4	37.5	37.6	37.7	37.8	37.9	28
29	38.0	38.1	38.2	38.3	38.4	38.5	38.6	38.7	38.8	38.9	29
30	39.0	39.1	39.2	39.3	39.4	39.5	39.6	39.7	39.8	39.9	30
31	40.0	40.1	40.2	40.3	40.4	40.5	40.6	40.7	40.8	40.9	31
32	41.0	41.1	41.2	41.3	41.4	41.5	41.6	41.7	41.8	41.9	32
33	42.0	42.1	42.2	42.3	42.4	42.5	42.6	42.7	42.8	42.9	33
34	43.0	43.1	43.2	43.3	43.4	43.5	43.6	43.7	43.8	43.9	34
35	44.0	44.1	44.2	44.3	44.4	44.5	44.6	44.7	44.8	44.9	35
36	45.0	45.1	45.2	45.3	45.4	45.5	45.6	45.7	45.8	45.9	36

Calculated by Julien A. Hall, M. Am. Soc. C. E.

For Keith's Railroad Curve Tables see end of book.

Survey of 17' contour line of Lake
Okeechobee in T41S R32E
Jan 10 to Feb 9 1927

Index

Base line notes pages 1 to 5

Line between Sect 34 & 35 page 6

South line of Sect 34 " 7

Line between Sect 33 & 34 " 8

South line of Sect 33 " 9

Line between Sect 28 & 33 " 10

Meander line along Lakeport road near
east lines of Sects 28 & 21 pages 11 and 12

Line between Sect. 28 & 21 page 13

" " " 21 & 16 " 14

" " " 15 & 16 " 15

" " " 9 & 16 " 16

" " " 10 & 15 " 17

" " " 9 & 10 " 18

" " " 4 & 9 " 19

" " " 3 & 4 " 20

North line of Sect 4 " 21

Base line notes page 24


Sounding notes along base line pages 26 to 40

Sounding notes along meander line of road " 41 to 43

Sounding notes along base line pages 44 to 58

Calculated bearings were computed
from an observation on Polaris made
Jan 3 1927 at Moore Haven

Base Line Notes				
Sta.	Defl $\angle$	Mag Br	Dist.	Cal Br
		N37°20'W	355.0	N36°07'W
K	15°40'R			
		N53°00'W	900.0	N51°47'W
J	2°57'L			
		N50°05'W	200.0	N48°50'W
I	9°00'R			
		N59°05'W	1141.4	N57°50'W
H	49°00'L			
		N10°05'W	1037.0	N8°50'W
G	9°54'R			
		N19°50'W	390.0	N18°44'W
F	22°56'R			
		N42°45'W	1020.0	N41°40'W
E	0°00'			
		N42°45'W	1500.0	N41°40'W
D	0°19'R			
		N43°10'W	2000.0	N41°59'W
C	0°00'			
		N43°10'W	1500.0	N41°59'W
B	0°10'L			
		N43°00'W	1024.8	N41°49'W
T ₁ = A	0°25'R			
		N43°30'W	640.0	N42°14'W
S ₁				



Jan 18 1927

Fair

LB Pearce Ch
 RL Smite Inst
 F Cothorn Chm
 U. Richardson "
 JT Arthur Axe
 CL Keesee "
 Jan 11 1925

Fair

