Township 28 South; Range 29 East.

Rec'd with L.S. Letter of Sept. 15/55

Course	Dist
Sec.	36
N19½ E	4.86
N1½ E	8.50
N18½ E	10.50
N33½ E	8.04
N45½ E	16.56
S67½ E	18.60
S54½ E	26.78
Sec.	35
N23½ W	19.80
N61½ W	7.00
N67½ W	8.89
N80½ W	28.51
S82½ W	16.49
Sec.	34
S54½ W	11.05
N55 W	9.62
N14 E	1.45
N70 W	1.50
S29½ W	1.00
S85½ W	2.00
N75 W	4.00
S75 W	3.00
S60½ W	2.50
S46½ W	3.81
S45 W	14.88
S56½ W	3.37
S34 W	3.48
S81½ W	7.27
S72½ W	3.77
S85½ W	4.98
S84½ W	15.04
S79 W	5.49
Sec.	33
N76½ W	5.46
N50½ W	9.19
N48 W	6.76
N40 W	15.79
N17 W	40.68
N32½ W	12.00
N10½ W	5.76
S89 W	2.50
N33½ W	2.00
Sec.	28
N54 W	6.28
N14½ W	10.29
N27½ W	27.18
N43½ W	12.50
N8 W	2.79
Sec.	29
N58½ W	6.28
N41½ W	9.66
N34 W	18.57
N9½ W	4.74
Sec.	20
N32 W	32.59
N49½ W	10.83
N73½ W	6.07
S89 W	10.58
S76½ W	1.09
S77 W	9.22
S67½ W	4.40
S26½ W	3.28
Sec.	19
N50½ W	52.58
N39½ W	17.94
N21½ W	7.91
Sec.	18
N20 W	13.00
N6½ W	39.77
N¼ E	3.26
S87½ W	1.52
N1½ E	.92
N8 E	1.00
N10¼ E	7.39
N42 E	21.65
Sec.	7
N55 E	15.00
N30 E	39.50
N42½ E	5.99
Sec.	8
S85 E	12.00
N75 E	16.96
S49½ E	33.50
S36 E	4.50
Sec.	17
S54 E	15.69
S19½ E	30.00
S7½ E	21.50
Sec.	16
S84½ E	26.19
S70 E	10.51
S61½ E	13.74
N84½ E	26.42
S51½ E	7.24
Sec.	15
S40 E	3.71
S4½ E	4.72
Sec.	22
S25½ E	9.45
S30 E	20.59
S53½ E	5.00
S61½ E	9.70
S55½ E	4.44
S68½ E	4.19
S28 E	13.55
S43½ E	8.50
S64½ E	14.11
N65½ E	15.00
N52½ E	3.61
S81½ E	1.45

State of Florida.

Tol. 29 - Fla

Contents					
No	Area	No	Area	No	Area
1	.....	13	.....	25	.....
2	633.90	14	639.24	26	.....
3	630.00	15	638.40	27	.....
4	631.78	16	525.34	28	72.70
5	630.50	17	58.00	29	598.96
6	629.16	18	157.14	30	645.60
7	563.12	19	470.56	31	649.00
8	522.60	20	150.96	32	641.60
9	641.88	21	.....	33	385.65
10	638.56	22	324.60	34	88.20
11	637.96	23	.....	35	146.73
12	.....	24	.....	36	168.80
Aggregate 12300.92 acres					

15110.92

The North Boundary was surveyed in 1843 by Henry Washington, Dep. Surv.

The East, West, and South Boundaries were surveyed in 1851 & 1852 by M. A. Williams, D.S.

Entered

Sectioned in March 1855 by J. J. Daniel, Dep. Surv.

Wm. Daniel, Andres Pacetta } Chainmen

Scale 40 chains to an inch. Var. 4° 30' E.

Examined, compared with the field notes and approved Sep. 15th 1855

John Westcott

Surveyor General.

Daniels survey passed for pay Gen Land office Report No 4932 of Sept 29th 1855.

150

Lands Surveyed		By whom surveyed	Date of Contract	No. of miles	Rate	Amount
Township Lines.	W. of Sec. 31 remeas'd	J. J. Daniel, Dep. Surv.	February 8th 1855	1.01.38		
Section Lines	Par.			15.02.58	= 16.25.08	
	Mer			18.15.23	= 18.44.23	
Traverse				13.66.23		
Connections				38.92		
				48.44.54	$4	$194.21

4—335

This card is not a part of the official plat.

Received with Surveyor General's letter of _____

Report No. _____

Posted in Division "O" _____

Triplicate plat filed with R. and R. _____

Miscellaneous See supplemental plat approved July 22/97 of the survey of an island designated as Lizie Park Island in secs 23 & 24/25 & 26. See also to Johnston & Garrett ul to lands bel. meanders & shore lines of lake on island in secs 25 & 26 & giving status of unsurveyed land in secs 23 & 24, Feb 7/08 #761515

6—2680

Township 28 South; Range 29 East.

Rec'd with L.S. Letter of Sept. 15/55

Course	Dist
Sec.	36
N19½ E	4.86
N1½ E	8.50
N18½ E	10.50
N33½ E	8.04
N45½ E	16.56
S67½ E	18.60
S54½ E	26.78
Sec.	35
N23½ W	19.80
N61½ W	7.00
N67½ W	8.89
N80½ W	28.51
S82½ W	16.49
Sec.	34
S54½ W	11.05
N55 W	9.62
N14 E	1.45
N70 W	1.50
S29½ W	1.00
S85½ W	2.00
N75 W	4.00
S75 W	3.00
S60½ W	2.50
S46½ W	3.81
S45 W	14.88
S56½ W	3.37
S34 W	3.48
S81½ W	7.27
S72½ W	3.77
S85½ W	4.98
S84½ W	15.04
S79 W	5.49
Sec.	33
N76½ W	5.46
N50½ W	9.19
N48 W	6.76
N40 W	15.79
N17 W	40.68
N32½ W	12.00
N10½ W	5.76
S89 W	2.50
N33½ W	2.00
Sec.	28
N54 W	6.28
N14½ W	10.29
N27½ W	27.18
N43½ W	12.50
N8 W	2.79
Sec.	29
N58½ W	6.28
N41½ W	9.66
N34 W	18.57
N9½ W	4.74
Sec.	20
N32 W	32.59
N49½ W	10.83
N73½ W	6.07
S89 W	10.58
S76½ W	1.09
S77 W	9.22
S67½ W	4.40
S26½ W	3.28
Sec.	19
N50½ W	52.58
N39½ W	17.94
N21½ W	7.91
Sec.	18
N20 W	13.00
N6½ W	39.77
N¼ E	3.26
S87½ W	1.52
N1½ E	.92
N8 E	1.00
N10¼ E	7.39
N42 E	21.65
Sec.	7
N55 E	15.00
N30 E	39.50
N42½ E	5.99
Sec.	8
S85 E	12.00
N75 E	16.96
S49½ E	33.50
S36 E	4.50
Sec.	17
S54 E	15.69
S19½ E	30.00
S7½ E	21.50
Sec.	16
S84½ E	26.19
S70 E	10.51
S61½ E	13.74
N84½ E	26.42
S51½ E	7.24
Sec.	15
S40 E	3.71
S4½ E	4.72
Sec.	22
S25½ E	9.45
S30 E	20.59
S53½ E	5.00
S61½ E	9.70
S55½ E	4.44
S68½ E	4.19
S28 E	13.55
S43½ E	8.50
S64½ E	14.11
N65½ E	15.00
N52½ E	3.61
S81½ E	1.45

State of Florida.

Tol. 29 - Fla

Contents					
No	Area	No	Area	No	Area
1	.....	13	.....	25	.....
2	633.90	14	639.24	26	.....
3	630.00	15	638.40	27	.....
4	631.78	16	525.34	28	72.70
5	630.50	17	58.00	29	598.96
6	629.16	18	157.14	30	645.60
7	563.12	19	470.56	31	649.00
8	522.60	20	150.96	32	641.60
9	641.88	21	.....	33	385.65
10	638.56	22	324.60	34	88.20
11	637.96	23	.....	35	146.73
12	.....	24	.....	36	168.80
Aggregate 12300.92 acres					

15110.92

The North Boundary was surveyed in 1843 by Henry Washington, Dep. Surv.

The East, West, and South Boundaries were surveyed in 1851 & 1852 by M. A. Williams, D.S.

Entered

Sectioned in March 1855 by J. J. Daniel, Dep. Surv.

Wm. Daniel, Andres Pacetta } Chainmen

Scale 40 chains to an inch. Var. 4° 30' E.

Examined, compared with the field notes and approved Sep. 15th 1855

John Westcott

Surveyor General.

Daniels survey passed for pay Gen Land office Report No 4932 of Sept 29th 1855.

150

Lands Surveyed		By whom surveyed	Date of Contract	No. of miles	Rate	Amount
Township Lines.	W. of Sec. 31 remeas'd	J. J. Daniel, Dep. Surv.	February 8th 1855	1.01.38		
Section Lines	Par.			15.02.58	= 16.25.08	
	Mer			18.15.23	= 18.44.23	
Traverse				13.66.23		
Connections				38.92		
				48.44.54	$4	$194.21

4—335

This card is not a part of the official plat.

Received with Surveyor General's letter of _____

Report No. _____

Posted in Division "O" _____

Triplicate plat filed with R. and R. _____

Miscellaneous See supplemental plat approved July 22/97 of the survey of an island designated as Lizie Park Island in secs 23 & 24/25 & 26. See also to Johnston & Garrett ul to lands bel. meanders & shore lines of lake on island in secs 25 & 26 & giving status of unsurveyed land in secs 23 & 24, Feb 7/08 #761515

6—2680

Township 28 South; Range 29 East.

Rec'd with L.S. Letter of Sept. 15/55

Course	Dist
Sec.	36
N19½ E	4.86
N1½ E	8.50
N18½ E	10.50
N33½ E	8.04
N45½ E	16.56
S67½ E	18.60
S54½ E	26.78
Sec.	35
N23½ W	19.80
N61½ W	7.00
N67½ W	8.89
N80½ W	28.51
S82½ W	16.49
Sec.	34
S54½ W	11.05
N55 W	9.62
N14 E	1.45
N70 W	1.50
S29½ W	1.00
S85½ W	2.00
N75 W	4.00
S75 W	3.00
S60½ W	2.50
S46½ W	3.81
S45 W	14.88
S56½ W	3.37
S34 W	3.48
S81½ W	7.27
S72½ W	3.77
S85½ W	4.98
S84½ W	15.04
S79 W	5.49
Sec.	33
N76½ W	5.46
N50½ W	9.19
N48 W	6.76
N40 W	15.79
N17 W	40.68
N32½ W	12.00
N10½ W	5.76
S89 W	2.50
N33½ W	2.00
Sec.	28
N54 W	6.28
N14½ W	10.29
N27½ W	27.18
N43½ W	12.50
N8 W	2.79
Sec.	29
N58½ W	6.28
N41½ W	9.66
N34 W	18.57
N9½ W	4.74
Sec.	20
N32 W	32.59
N49½ W	10.83
N73½ W	6.07
S89 W	10.58
S76½ W	1.09
S77 W	9.22
S67½ W	4.40
S26½ W	3.28
Sec.	19
N50½ W	52.58
N39½ W	17.94
N21½ W	7.91
Sec.	18
N20 W	13.00
N6½ W	39.77
N¼ E	3.26
S87½ W	1.52
N1½ E	.92
N8 E	1.00
N10¼ E	7.39
N42 E	21.65
Sec.	7
N55 E	15.00
N30 E	39.50
N42½ E	5.99
Sec.	8
S85 E	12.00
N75 E	16.96
S49½ E	33.50
S36 E	4.50
Sec.	17
S54 E	15.69
S19½ E	30.00
S7½ E	21.50
Sec.	16
S84½ E	26.19
S70 E	10.51
S61½ E	13.74
N84½ E	26.42
S51½ E	7.24
Sec.	15
S40 E	3.71
S4½ E	4.72
Sec.	22
S25½ E	9.45
S30 E	20.59
S53½ E	5.00
S61½ E	9.70
S55½ E	4.44
S68½ E	4.19
S28 E	13.55
S43½ E	8.50
S64½ E	14.11
N65½ E	15.00
N52½ E	3.61
S81½ E	1.45

State of Florida.

Tol. 29 - Fla

Contents					
No	Area	No	Area	No	Area
1	.....	13	.....	25	.....
2	633.90	14	639.24	26	.....
3	630.00	15	638.40	27	.....
4	631.78	16	525.34	28	72.70
5	630.50	17	58.00	29	598.96
6	629.16	18	157.14	30	645.60
7	563.12	19	470.56	31	649.00
8	522.60	20	150.96	32	641.60
9	641.88	21	.....	33	385.65
10	638.56	22	324.60	34	88.20
11	637.96	23	.....	35	146.73
12	.....	24	.....	36	168.80
Aggregate 12300.92 acres					

15110.92

The North Boundary was surveyed in 1843 by Henry Washington, Dep. Surv.

The East, West, and South Boundaries were surveyed in 1851 & 1852 by M. A. Williams, D.S.

Entered

Sectioned in March 1855 by J. J. Daniel, Dep. Surv.

Wm. Daniel, Andres Pacetta } Chainmen

Scale 40 chains to an inch. Var. 4° 30' E.

Examined, compared with the field notes and approved Sep. 15th 1855

John Westcott

Surveyor General.

Daniels survey passed for pay Gen Land office Report No 4932 of Sept 29th 1855.

150

Lands Surveyed		By whom surveyed	Date of Contract	No. of miles	Rate	Amount
Township Lines.	W. of Sec. 31 remeas'd	J. J. Daniel, Dep. Surv.	February 8th 1855	1.01.38		
Section Lines	Par.			15.02.58	= 16.25.08	
	Mer			18.15.23	= 18.44.23	
Traverse				13.66.23		
Connections				38.92		
				48.44.54	$4	$194.21

4—335

This card is not a part of the official plat.

Received with Surveyor General's letter of _____

Report No. _____

Posted in Division "O" _____

Triplicate plat filed with R. and R. _____

Miscellaneous See supplemental plat approved July 22/97 of the survey of an island designated as Lizie Park Island in secs 23 & 24/25 & 26. See also to Johnston & Garrett ul to lands bel. meanders & shore lines of lake on island in secs 25 & 26 & giving status of unsurveyed land in secs 23 & 24, Feb 7/08 #761515

6—2680

Report 713, Sept. 22, 1897.

Township No 28 South, Range No 29 East of the Tallahassee Meridian, Florida.

APPROVED
SUR. GEN'L'S. LETTER.
JUL 22 1897



Total number of Acres 199.44

Surveys Designated	By Whom Surveyed	Date of Contract	Amount of Surveys M.	Ch.s	Lk.s	When Surveyed
Township lines						
Subdivisions	William H Macy	January 16, 1897	2	3	24	May 18, to
Meanders	" " "	" " "	4	30	29	May 21, 1897

Meanders of Live Oak Island and its Accretions

Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s	Posts	Courses	Ch.s Lk.s
	Sec. 23							
1	S 85° W	10.20						
	N 78° W	19.00						
	N 35° W	6.00						
	S 68° W	7.00						
	N 86° W	9.00						
	S 7° W	2.00						
	S 51° E	14.00						
	Sec 26							
2	S 44° E	19.81						
	South	26.00						
	S 44° E	16.00						
	S 77° E	6.00						
	N 12° E	9.00						
	N 50°	7.00						
	Sec. 25							
3	N 70° 30' E	5.37						
	N 51° 45' E	6.00						
	N 9° W	8.00						
	North	26.00						
	Sec 24							
4	N 3° E	34.00						
	West	6.00						
	S 2° W	25.00						
	S 37° 15' W	4.95						
	Live Oak Island as it was at the time of the survey of the main-land in							
	Sec. 26							
5	S 71° W	6.00						
	S 32° W	13.00						
	S 9° W	13.00						
	S 8° E	7.00						
	N 86° E	6.00						
	N 25° E	5.00						
	N 51° 30' E	7.19						
	Sec 25							
6	N 65° E	7.00						
	N 5° E	4.00						
	N 8° W	13.00						
	N 46° 15' W	5.77						

The above Map of Township No 28 South of Range No 29 East of the Tallahassee Meridian, Florida showing survey of Live Oak Island and its accretions is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved.

Surveyor Generals Office,
Tallahassee, Fla. July 22 1897

W. D. Mitchell
Sur. Gen'l

THE NORRIS PETERS CO. LITHO., WASHINGTON, D. C.

Entered on track book July 7, 1898
MSS

4—335

This card is not a part of the official plat.

Received with Surveyor General's letter of _____

Report No. _____

Posted in Division "O" _____

Triplicate plat filed with R. and R. _____

Miscellaneous Sur to Johnston + Garrett Feb 7, 1918
#761515 rel to land outside of meander line on
island in secs 25 + 26.

6—2680