

Dependent Resurvey of the Boundaries, Seminole Indian Lands,
T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

Land, almost level.
Soil, muck, 1st rate if drained.
Timber, none.

S. 1° 07' E., bet. secs. 31 and 36, marking the true line.

Over almost level land, through saw-grass. Along the boundary of Indian Land with unsurveyed land to the east.

19.88 Set a pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

20.90 Enter a saw-grass pond, bears NW. and SE.

27.80 Leave pond, enter open grass land with scattering clumps of gallberry bushes, bears NE. and SW.

39.76 Proportionate distance; there is no remaining evidence of the original corner post or bearing tree.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$
 S 36 | S 31
 SIL |
 1939

No bearing trees available.

A pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears S. 45° W., 1 lk. dist.

59.64 Set a pine post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

79.52 The point for the cor. of Tps. 48 and 49 S., Rs. 34 and 35 E., which was determined by using proportion between the cor. of Tps. 47 and 48 S., Rs. 34 and 35 E., and the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E., for latitude position, and record distance from the cor. of Tps. 48 and 49 S., Rs. 33 and 34 E. for meridional position. This method of restoration was used as the land to the east has not been surveyed.

NOTE:

The south boundary of T. 48 S., R. 34 E., was resurveyed by the County Engineer of Collier County in 1938, by running easterly from the corner of Tps. 48 and 49 S., Rs. 33 and 34 E., without what is considered proper control for the corner of Tps. 48 and 49 S., Rs. 34 and 35 E. After developing control for the reestablishment of the corner of Tps. 48 and 49 S., Rs. 34 and 35 E., as described above, the County Engineer, Mr. J. H. T. McGee, was fully advised in the matter, and he agreed to the control as adopted. In order to avoid leaving two sets of monuments for the south boundary of the township, the monuments which had been set in the resurvey of 1938 were, by agreement with the County Engineer, moved to the proper positions and reset.

Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 26 ins. in the ground, for the cor. of Tps. 48 and 49 S., Rs. 34 and 35 E. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

T 48 S
HENDRY
CO
SIL
36 | 31 R35E
R34E | BROWARD
COLLIER 1 | 6 CO
CO T 49 S

from which,

A cypress, 5 ins. diam., bears N. $51\frac{1}{2}^{\circ}$ E., 844 lks.
dist., mkd. T 48 S R 35 E S 31 B T.

A cypress, 5 ins. diam., bears S. $44\frac{1}{2}^{\circ}$ E., 117 lks.
dist., mkd. T 49 S R 35 E S 6 B T.

No bearing tree available to the southwest.

A cypress, 5 ins. diam., bears N. $44\frac{1}{2}^{\circ}$ W., 145 lks.
dist., mkd. T 48 S R 34 E S 36 B T.

Land, almost level.

Soil, muck, 1st rate if drained, sandy loam, 3rd rate.

Timber, a few scattered cypress.

Upon retracing the line bet. Rs. 34 and 35 E., T. 49 S., the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E., was found to be marked by a badly rotted cypress post, 28 ins. long, 3 ins. square, 12 ins. in the ground. In the six miles of line, one item of topography was given in the original field notes at 55.00 chs. north of the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E. This item of topography was found to check closely when measuring from the cypress post accepted as the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E.

In place of the cypress post,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E., with brass cap mkd.

T 49 S
R 34 E R 35 E
S 36 | S 31
S 1 | S 6
T 50 S
1939.

from which

A cypress, 6 ins. diam., bears N. $0^{\circ} 15'$ E., 37 lks. dist., mkd. T 49 S R 35 E S 31 B T.

A cypress, 4 ins. diam., bears S. $69\frac{1}{2}^{\circ}$ E., 56 lks. dist., mkd. T 50 S R 35 E S 6 B T.

No bearing tree available to the southwest.

A cypress, 5 ins. diam., bears N. 64° W., 51 lks. dist., mkd. T 49 S R 34 E S 36 B T.

The cor. of Tps. 48 and 49 S., Rs. 34 and 35 E., bears N. $0^{\circ} 13'$ W., 477.03 chs. dist.

From the cor. of Tps. 48 and 49 S., Rs. 34 and 35 E.

S. $88^{\circ} 27'$ W., bet. secs. 1 and 36, Tps. 48 and 49 S.,
R. 34 E., marking and blazing the true
line.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

Over almost level, open, grass land, with scattering cypress and bunches of gallberry bushes. Along the boundary of Indian Land and the line bet. Hendry and Collier Counties. Private land to the south.

20.01

Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

40.01½

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 18 ins. in the ground, for the ¼ sec. corner. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL

36
+ 1

R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 6 ins. diam., bears N. 29½° E., 49 lks. dist., mkd. ¼ S 36 B T

A cypress, 6 ins. diam., bears S. 19½° E., 29 lks. dist., mkd. ¼ S 1 B T

43.20

Enter a myrtle and maple thicket, bears N. and S.

53.00

Leave thicket, enter a willow, ash, and saw-grass pond, bears, N. and S.

60.02

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

80.03

Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 20 ins. in the ground, for the cor. of secs. 1, 2, 35, and 36, Tps. 48 and 49 S., R. 34 E. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL

35 | 36
2 | 1

R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 10 ins. diam., partly dead, bears N. 9½° E., 95 lks. dist., mkd. T 48 S R 34 E S 36 B T

A cypress, 24 ins. diam., partly dead, bears S. 48½° E., 80 lks. dist., mkd. T 49 S R 34 E S 1 B T

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

No other bearing trees available.

Land, almost level.

Soil, sandy loam, 3rd rate; muck, 1st rate.

Timber, cypress, willow, maple, and bay; undergrowth,
young timber, myrtle, and vines.

S. 88° 27' W., bet. secs. 2 and 35, marking and blazing
the true line.

Over almost level land, through willow and ash timber.
Along the boundary of Indian land and the line bet.
Hendry and Collier Counties. Private land to the south.

10.90 Enter a cypress swamp, bears NE. and SW.

20.01 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
in the ground.

39.60 Leave swamp, enter a round palmetto knoll, bears N. and
S. Line passes almost through the center of the knoll.

40.01 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of
the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4 ins.
square, 18 ins. in the ground to bed rock, for the $\frac{1}{4}$ sec.
corner. In the center of the monument is an iron pipe,
39 ins. long, 1 in. diam., protruding 3 ins. above the
concrete. On the pipe is screwed a brass plate, 3 ins.
diam., $\frac{1}{4}$ in. thick., mkd.,

T 48 S
HENDRY COUNTY

SIL

35

$\frac{1}{4}$ 2

R 34 E

COLLIER COUNTY

T 49 S

from which,

A cypress, 7 ins. diam., bears S. 43 $\frac{1}{4}$ ° E., 94
lks. dist., mkd. $\frac{1}{4}$ S 2 B T

A cypress, 7 ins. diam., bears N. 20 $\frac{1}{2}$ ° W., 118
lks. dist., mkd. $\frac{1}{4}$ S 35 B T

40.45 Leave palmetto knoll, enter a cypress swamp, bears N. and
S.

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in
the ground.

80.03 Proportionate distance; there is no remaining evidence of
the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4 ins.
square, 18 ins. in the ground, for the cor. of secs. 2,
3, 34, and 35, Tps. 48 and 49 S., R. 34 E. In the center
of the monument is an iron pipe, 39 ins. long, 1 in. diam.
protruding 3 ins. above the concrete. On the pipe is
screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

T 48 S
HENDRY COUNTY

SIL

34 | 35

3 | 2

R 34 E

COLLIER COUNTY

T 49 S

from which,

A cypress, 10 ins. diam., bears N. 53° E., 17
lks. dist., mkd. T 48 S R 34 E S 35 B T

A cypress, 7 ins. diam., bears S. 58 $\frac{3}{4}$ ° E., 33
lks. dist., mkd. T 49 S R 34 E S 2 B T

A cypress, 6 ins. diam., bears S. 9 $\frac{1}{2}$ ° W., 21
lks. dist., mkd. T 49 S R 34 E S 3 B T

A cypress, 10 ins. diam., bears N. 89 $\frac{3}{4}$ ° W., 66
lks. dist., mkd. T 48 S R 34 E S 34 B T

Land, almost level.

Soil, muck in swamp, 1st rate.

Timber, cypress, bay, and gum; undergrowth young trees,
palmetto, and vines.

S. 88° 27' W., bet. secs. 3 and 34, marking and blazing
the true line.

Through a swamp, timber consists of cypress, bay, gum,
willow, and ash. Along the boundary of Indian Land and
the line bet. Hendry and Collier Counties. Private land
to the south.

14.00 Leave the heavy swamp, enter low cypress swamp, bears N.
and S.

20.01 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins.
in the ground.

40.01 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of
the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4
ins. square, 18 ins. in the ground, for the $\frac{1}{4}$ sec. cor.
In the center of the monument is an iron pipe, 39 ins.
long, 1 in. diam., protruding 3 ins. above the concrete.
On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in.
thick, mkd.,

T 48 S
HENDRY COUNTY

SIL

34

$\frac{1}{4}$ | 3

R 34 E

COLLIER COUNTY

T 49 S

from which,

A cypress, 12 ins. diam., bears S. 16° W., 10
lks. dist., mkd. $\frac{1}{4}$ S 3 B T

A cypress, 16 ins. diam., bears N. 58° W., 64
lks. dist., mkd. $\frac{1}{4}$ S 34 B T

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
in the ground.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	
70.70	Leave swamp, enter open grass land, bears N. and S.
71.53	A road, bears N. 20° E. and S. 20° W.
76.50	Leave grass land, enter low cypress swamp, bears N. and S.
80.03	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 24 ins. in the ground, for the cor. of secs. 3, 4, 33, and 34. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd., <div style="text-align: center;">T 48 S HENDRY COUNTY SIL 33 34 4 3 R 34 E COLLIER COUNTY T 49 S</div> from which, A cypress, 5 ins. diam., bears N. 45 1/2° E., 64 lks. dist., mkd. T 48 S R 34 E S 34 B T A cypress, 5 ins. diam., bears S. 18 1/2° E., 51 lks. dist., mkd. T 49 S R 34 E S 3 B T A cypress, 5 ins. diam., bears S. 50° W., 15 lks. dist., mkd. T 49 S R 34 E S 4 B T A cypress, 6 ins. diam., bears N. 25 1/2° W., 21 lks. dist., mkd. T 48 S R 34 E S 33 B T Land, almost level. Soil, muck and sandy loam, 2 nd rate. Timber, cypress, ash, bay, gum, and willow; undergrowth, young trees, palmetto, and vines.
	S. 88° 27' W., bet. secs. 33 and 4, marking and blazing the true line. Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
16.50	Leave swamp, enter a willow slough, bears N. and S.
20.01	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
22.50	Leave slough, enter a cypress swamp, bears N. and S.
33.00	Leave swamp, enter scattering cypress and patches of open grass land, bears NW. and SE.
40.01 1/2	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the 1/4 sec. cor. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	<div>T 48 S HENDRY COUNTY SIL 33 1/4 4 R 34 E COLLIER COUNTY T 49 S</div> <div>from which,</div> <div>A cypress, 14 ins. diam., bears N. 11° E., 63 lks. dist., mkd. 1/4 S 33 B T</div> <div>A cypress, 10 ins. diam., bears S. 7 1/4° E., 53 lks. dist., mkd. 1/4 S 4 B T</div> <div>42.60 Leave cypress, enter a palmetto and scrub oak hammock, bears N. and S.</div> <div>44.30 Leave hammock, enter open grass land, bears N. 20° E. and S. 20° W.</div> <div>50.00 Enter semi-swamp land with patches of palmetto, open grass land, and scrub cypress, bears N. and S.</div> <div>60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.</div> <div>80.03 Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.</div> <div>Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the cor. of secs. 4, 5, 32, and 33. In the center of the monument is an iron pipe, 1 in. diam., 39 ins. long, protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd., <div>T 48 S HENDRY COUNTY SIL 32 33 5 4 R 34 E COLLIER COUNTY T 49 S</div><div>from which,</div><div>A cypress, 16 ins. diam., bears N. 47° E., 74 lks. dist., mkd. T 48 S R 34 E S 33 B T</div><div>A cypress, 20 ins. diam., bears S. 14° E., 50 lks. dist., mkd. T 49 S R 34 E S 4 B T</div><div>A cypress, 20 ins. diam., bears S. 77° W., 37 lks. dist., mkd. T 49 S R 34 E S 5 B T</div><div>A cypress, 20 ins. diam., bears N. 13° W., 68 lks. dist., mkd. T 48 S R 34 E S 32 B T</div><div>Land, almost level. Soil, muck and sandy loam, 2nd and 3rd rate. Timber, cypress, bay, ash, and gum; undergrowth, palmetto, young trees, and vines.</div></div>
	<div>S. 88° 27' W., bet. secs. 5 and 32, marking and blazing the true line.</div>

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	Through a cypress swamp which varies from heavy to low cypress. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
20.01	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
40.01½	<p>Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the ¼ sec. cor. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,</p> <div><div>T 48 S HENDRY COUNTY SIL 32 + 5 R 34 E COLLIER COUNTY T 49 S</div><div>from which,</div></div> <p>A cypress, 7 ins. diam., bears S. 10° E., 41 lks. dist., mkd. ¼ S 5 B T</p> <p>A cypress, 6 ins. diam., bears N. 12¾° W., 27 lks. dist., mkd. ¼ S 32 B T</p>
49.50	Leave swamp, enter palmetto, bears N. 20° E., and S. 20° W.
52.20	Leave palmetto, enter a grass marsh, bears N. 20° E. and S. 20° W.
60.02	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
68.20	Leave marsh, enter palmetto, bears NW. and SE.
71.50	Leave palmetto, enter open grass land, bears N. and S.
74.00	Leave grass land, enter a cypress swamp, bears NE. and S. 20° W.
79.00	Leave swamp, enter a saw-grass marsh, bears NE. and SW.
80.03	<p>Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the cor. of secs. 5, 6, 31, 32. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,</p> <div><div>T 48 S HENDRY COUNTY SIL 31 32 6 5 R 34 E COLLIER COUNTY T 49 S</div><div>from which,</div></div>

Dependent Resurvey of the Boundaries, Seminole Indian
 Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

A cypress, 8 ins. diam., bears N. 86° E., 38
 lks. dist., mkd., T 48 S R 34 E S 32 B T

A cypress, 10 ins. diam., bears S. 51° E., 89
 lks. dist., mkd. T 49 S R 34 E S 5 B T

A cypress, 6 ins. diam., bears S. $37\frac{1}{2}^{\circ}$ W., 121
 lks. dist., mkd. T 49 S R 34 E S 6 B T

A cypress, 12 ins. diam., bears N. $28\frac{1}{2}^{\circ}$ W., 249
 lks. dist., mkd. T 48 S R 34 E S 31 B T

Land, almost level.

Soil, sandy loam and muck, 3rd and 2nd rate.

Timber, cypress, bay, ash, and gum; undergrowth, palmetto,
 young trees, and vines.

S. 88° 27' W., bet. secs. 6 and 31, marking and blazing
 the true line.

Through a saw-grass marsh. Along the boundary of Indian
 land and the line between Hendry and Collier Counties.
 Private land to the south.

1.80 Leave saw-grass marsh, enter a cypress swamp, bears N.
 and S.

15.00 A road, bears N. 20° E. and S. 20° W.

20.01 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
 in the ground.

31.00 Leave swamp, enter scattering pine and palmetto, bears
 S. 70° E. and N. 70° W.

40.01 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of
 the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4
 ins. square, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor.
 In the center of the monument is an iron pipe, 39 ins.
 long, 1 in. diam., protruding 3 ins. above the concrete.
 On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in.
 thick, mkd.,

T 48 S
 HENDRY COUNTY
 SIL
 31
 $\frac{1}{4}$ 6
 R 34 E
 COLLIER COUNTY
 T 49 S

from which,

A pine, 4 ins. diam., bears N. $70\frac{1}{2}^{\circ}$ E., 146
 lks. dist., mkd. $\frac{1}{4}$ S 31 B T

A pine, 12 ins. diam., bears S. $6\frac{1}{2}^{\circ}$ E., 204
 lks. dist., mkd. $\frac{1}{4}$ S 6 B T

54.30 Enter a cypress swamp, bears NW. and SE.

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
 in the ground.

66.30 Leave swamp, enter scattering pine and palmetto, bears
 NW. and SE.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains
75.00

Leave pine and palmetto, enter a cypress swamp, bears NW. and SE.

81.28

The cor. of Tps. 48 and 49 S., Rs. 33 and 34 E., previously described.

Land, almost level.

Soil, sandy loam and muck, 2nd and 3rd rate.

Timber, cypress, pine, and ash; undergrowth, palmetto, young timber and vines.

GENERAL DESCRIPTION

The land in this township is almost level. A maximum difference of one to three feet is found between the high pine land and the swamps. Most of the land is subject to inundation during the wet season.

The soil on the high land is composed mainly of sand with decayed vegetation. In the swamps, it is muck. The subsoil everywhere is white or yellow sand and lime stone. Outcroppings of the stone are to be found in some places.

The timber in the swamps is predominately cypress with some, ash, gum, bay, and willow. In the western part and on the high land, scattering pine and palmetto is to be found. The high land in the eastern part is mostly open grass land with patches of palmetto.

The beginning of the main part of the Everglades' saw-grass marsh lies in the extreme eastern part of the township. It begins near the $\frac{1}{4}$ cor. of secs. 11 and 12 and extends south and some east to cross the east boundary near the $\frac{1}{4}$ cor. of secs. 31 and 36. This marsh is practically level. The soil is muck on which grows saw-grass, cane, and tall native grasses.

There are no improvements in the township except a road now being built by hand by the Indian "CCC" workers. There is one family of Indians living at what is known as Guava Camp, however their chickees are not permanent structures and soon disappear when deserted.

Fort Shackleford, Boat Landing, and Guava Camp are historical. The remains of Fort Shackleford which are in sec. 21, are still to be found. The Fort was built during the second Seminole Indian War. Boat Landing which is in sec. 15, was once the site of Sam Brown's trading post. Traces of the boat canal to the glades are still in evidence. The post was built early in the beginning of the twentieth century.

Resurvey completed March 12, 1939.

4-680
(Revised May 1934)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES		CAPACITY
Alfred Berger		Principal Assistant
Terry J. Broxson		Principal Assistant
Raymond L. Barnes		Chairman
John Cypress	Seminole Indians	Chairman
Henry Osceola		Chairman
Joe Doctor		Axeman
Little Charley		Axeman
Jim Boyde		Axeman
Whitney Osceola		Axeman
Billy Roberts		Axeman