

U.S. Field Notes

12.

Volume - 271

Description	Township	Range	Page #
<p>Limited Dependent Resurvey of the Exterior + Subdivisional Lines,</p> <p>Including Reestablishment of Record Meander Line of Lake Okeechobee Marsh, to Define the Exterior Boundaries of Seminole Indian Lands.</p>	<p>39 South 38 + 39 South 38 South</p>	<p>32 EAST 33 EAST 34 EAST</p>	<p>576</p>
<p>Limited Dependent Resurvey of the Exterior + Subdivisional Lines of Township 48 South, + Range 34 East. To Define the Exterior Boundaries of Seminole Indian Lands.</p>	<p>48 South</p>	<p>34 EAST</p>	<p>660</p>

#271

State

9007

4-679
(April 1933)

DUPLICATE

660

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FIELD NOTES

OF THE

LIMITED DEPENDENT RESURVEY

OF THE

EXTERIOR AND SUBDIVISIONAL LINES

OF

TOWNSHIP 18 SOUTH, RANGE 34 EAST,

TO DEFINE THE

EXTERIOR BOUNDARIES OF SEMINOLE INDIAN LANDS.

Of the TALLAHASSEE Meridian,

In the State of FLORIDA

EXECUTED BY

LESTER S. MANN, PUBLIC LAND SURVEYOR

SUPPLEMENTAL

Under special instructions dated NOVEMBER 21, 1938, which provided
for the surveys included under Group No. 96, bearing the approval of the
Commissioner of the General Land Office under date of DECEMBER 10, 1938

SUPPLEMENTAL

and assignment instructions dated NOVEMBER 22, 1938

Survey commenced NOVEMBER 28, 1938

Survey completed MARCH 12, 1939

INDEX DIAGRAM.

Township 48 South, Range 34 East

9	10	10	11	11	12
8 6	5	4	3	2	1
12					19
7 7 13	8	9	10	11 18	12 20
	14	15	16	17	
6 18	17	16	15	14	13 20
5 19	20	21	22	23	24 21
4 30	29	28	27	26	25 22
3 31	32	33	34	35	36 23
	29	28	27	26	25

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

The lands purchased by the United States for the use of the Seminole Indians were given in the Supplemental Special Instructions, dated Nov. 21, 1938, and may be described as follows:

Section 7 and Sections 12 to 36 inclusive, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

The west three miles of the north boundary of T. 48 S., R. 34 E., were surveyed by Timothy S. Stearns, Deputy Surveyor, in 1874. The remainder of the north boundary and all of the south, east and west boundaries, and the subdivisional lines of the township were surveyed in 1875 by M. A. Williams, Deputy Surveyor. The survey is represented on the official township plat approved October 9, 1875.

The following notes are those of a dependent resurvey of the township boundaries and subdivisional lines necessary to mark the boundary of the land acquired for the use of the Seminole Indians. The resurvey is a restoration of the above boundaries and is adjusted to the best available remaining evidence of the original positions.

Before reconstructing or restoring the corners, the lines of the original surveys were retraced and search was made for the evidence of the original corner posts, bearing trees, and other calls of the field notes. When duly identified or restored the corner positions were remonumented and new bearing trees marked or accessories set. After completing the retracements, the true lines were duly run and marked through the timber.

The rules of proportionate measurement were applied in order to ascertain the position of each lost or obliterated corner after exhausting every reasonable possibility of finding direct evidence for the control of each particular corner.

In order to simplify the record, the true line notes only are supplied here, which refer to the completed resurveys.

Survey commenced November 28, 1938, and was executed with light mountain solar transits made by Buff and Buff, Serial Nos. 9985 and 14237, constructed in accordance with the standard specifications of the General Land Office. The horizontal circle has a diameter of $4\frac{1}{2}$ inches with two double opposite verniers reading to single minutes; the vertical circle has a diameter of 4 inches with one double vernier reading to single minutes; the telescope has fixed stadia wires, ratio 1:132, with focal constant of 1.2 lks. The instrument is equipped with the improved Smith solar attachment, radius of latitude arc 3 inches, and declination arc $3\frac{1}{2}$ inches, each with verniers reading to single minutes. All instrumental adjustments were examined before the field tests hereinafter recorded were made.

The direction of the random lines and true lines were determined by solar transit method or by turning transit angles. Where transit angles were turned, azimuth was frequently verified by direct solar observation. The measurements were made with Lallie steel tapes, 5 chains in length, graduated every link for the first 100 links, and thereafter at intervals of 10 links. The tapes were tested by comparison with a Lufkin Standard tape and found correct. The measurements were made on the slope

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

and the vertical angle of each interval was ascertained when necessary by a clinometer in good adjustment; the horizontal equivalents are entered in the field note record.

The data furnished gives the geographic position for the northwest corner of T. 48 S., R. 34 E., Tall. Mer., Florida as: Latitude 26° 19' 36" N. and longitude 80° 58' 12" W.

November 28, 1938, at camp located in the SW¼ of Sec. 12, T. 48 S., R. 33 E., I make a series of two altitude observations of the sun for azimuth, each with the telescope in the direct and reversed positions, observing opposite limbs of the sun, the horizontal angles are measured from a reference point set to the south of the observing station at a distance of 8 chains.

Observation	Telescope	Sun	Watch time	Vertical angle	Horizontal angle
First	Direct	+	2h58m p.m.	28°58'15"	41° 34'
Do	Reversed	+	3h00m p.m.	29°12'	41° 27'
Mean	-----		2h59m p.m.	29°05'07"	41°30'30"
Second	Direct	+	3h01m p.m.	27°56'	42° 58'
Do	Reversed	+	3h03m p.m.	28°15'	42° 42'
Mean	-----		3h02m p.m.	28°05'30"	42° 50'

By first observation point bears ----- S. 0° 02' 30" E.
By second observation point bears ----- S. 0° 02' 00" E.
Mean true bearing of point ----- S. 0° 02' 15" E.

At the above station and on the same date at sun-set, a polaris observation was made which verified the mean true bearing to the reference point.

November 29, 1938, proper settings were made on the arcs of the solar attachment of the solar instrument every hour during the usual hours of solar work, and the instrument was found to have a maximum error of less than 1' 30".

The meridional indications of the instrument were repeated at frequent intervals throughout the survey.

Dependent Resurvey of a portion of
T. 48 S., R. 34 E., Tall. Mer., Fla.,
Necessary to Mark the Boundary of
the Seminole Indian Lands.

Beginning at the original cor. of Tps. 48 and 49 S., Rs. 33 and 34 E. which is marked by a Collier County concrete monument, 4 ins. square, 3 ft. long, 16 ins. in the ground, enclosing in the center a 1 in. iron pipe on which is screwed a brass plate. Plate is 3 ins. diam., 1/4 in. thick, mkd.,

SIL
T48S
Hendry County
R33E 26 31 R34E
1 6
Collier County
T49S

From which,

Dependent Resurvey of the Boundaries, Seminole Indian
 Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

The remains of the original bearing trees,

A cypress snag, 18 ins. diam., bears N. $38\frac{1}{2}^{\circ}$ E.,
 17 lks. dist., mkd. with an old blaze showing faint
 traces of scribe marks.

A cypress stump, 12 ins. diam., bears S. 43° E.,
 19 lks dist.

A cypress stump, 30 ins. diam., bears S. $46\frac{1}{4}^{\circ}$ W.,
 24 lks. dist.

A cypress stump, 10 ins. diam., bears N. $29\frac{1}{2}^{\circ}$ W.,
 30 lks. dist.

And new bearing trees,

A cypress, 7 ins. diam., bears N. 39° E., 117 lks.,
 dist., mkd. T 48 S R 34 E S 31 B T

A cypress, 8 ins. diam., bears S. $51\frac{1}{2}^{\circ}$ E., 44 lks.
 dist., mkd. T 49 S R 34 E S 6 B T

A cypress, 3 ins. diam., bears S. $7\frac{1}{2}^{\circ}$ W., 55 lks.
 dist., mkd. S 1 B T

A cypress, 8 ins. diam., bears N. 70° W., 102 lks.
 dist., mkd. T 48 S R 33 E S 36 B T

Thence,

N. $0^{\circ} 08'$ W., bet. secs. 31 and 36, T. 48 S., Rs. 33 and
 34 E., marking and blazing the true line
 through the timber.

Over almost level land, through a cypress swamp, along an
 old fence. Indian land on both side of the line.

3.70 Leave swamp, enter high land covered with palmetto, pine,
 and cabbage palm, bears east and west.

9.80 Leave high land, enter a cypress swamp, bears SW. and NE.

13.60 Leave swamp, enter pine and cabbage palm with undergrowth
 of palmetto, bears E. and W.

27.20 Leave high land, enter a cypress swamp, bears E. and W.

30.60 Leave swamp, enter pine land with palmetto undergrowth,
 bears E. and W.

36.30 Leave high land, enter a saw-grass and willow pond, bears
 NE. and SW.

40.53 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence
 of the original corner post.

Set an iron post, 3 ft. long, 1 in. diam., encased in
 concrete, 3 ft. long, 6 ins. diam., 30 ins. in the ground,
 for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$
 S 36 | S 31
 1939

from which,

A cypress, 6 ins. diam., bears S. $5\frac{1}{2}^{\circ}$ E., 329 lks.
 dist., mkd. $\frac{1}{4}$ S 31 B T

A cypress, 6 ins. diam., bears S. $27\frac{1}{2}^{\circ}$ W., 234 lks.
 dist., mkd. $\frac{1}{4}$ S 36 B T

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	
45.00	Leave willow and enter cypress, continue through saw-grass.
50.00	Leave swamp, enter the east edge of a pine island, bears NE. and SW.
54.50	Leave pine island, enter same cypress swamp, bears NW. and SE.
57.80	Leave swamp, enter pine and palmetto, bears E. and W.
65.00	Leave high land, enter a saw-grass and willow pond, bears E. and W.
71.20	Leave pond, enter high palmetto land, bears NE. and SW.
81.07	Proportionate distance; there is no remaining evidence of the original corner post or reference stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 30 ins. in the ground, for the cor. of secs. 25, 30, 31, and 36, with brass cap mkd.,

	T 48 S	
R 33 E		R 34 E
S 25		S 30
S 36		S 31
	1939	

from which,

No tree available to the NE.

A cabbage palm, 12 ins. diam., bears S. $59\frac{1}{2}^{\circ}$ E., 472 lks. dist., mkd. with an "X"

A cypress, 10 ins. diam., bears S. $81\frac{1}{2}^{\circ}$ W., 882 lks. dist., mkd. T 48 S R 33 E S 36 B T

A cypress, 6 ins. diam., bears N. $72^{\circ} 25'$ W., 453 lks. dist., mkd. T 48 S R 33 E S 25 B T

Land, almost level.
Soil, sandy loam and muck, 3rd rate.
Timber, cypress, pine, cabbage palm, and willow; undergrowth, young trees and palmetto.

N. $0^{\circ} 08'$ W., bet. secs. 25 and 30, marking and blazing the true line through the timber.

Along the west side of an old fence, over level palmetto land. Indian land on both sides of the line.

38.20	Leave high land, enter a cypress swamp, bears NE. and SW.
40.53 $\frac{1}{2}$	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

	$\frac{1}{4}$	
S 25		S 30
	1939	

from which,

A cypress, 5 ins. diam., bears S. $57\frac{1}{2}^{\circ}$ E., 68 lks. dist., mkd. $\frac{1}{4}$ S 30 B T

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

A cypress, 6 ins. diam., bears S. $68\frac{1}{2}^{\circ}$ W., 41 lks.
dist., mkd. $\frac{1}{4}$ S 25 B T

54.50

Leave cypress swamp, enter the east edge of a pine island,
bears N. 10° E. and SW.

73.00

Leave pine land, enter same swamp, bears NW. and SE.

81.07

The cor. of secs. 19, 24, 25, and 30, identified by an
old cypress stake, 3 ins. square, 3 ft. long, showing
faint scribe marks. There is no remaining evidence of the
original bearing trees.
In place of the cypress stake,

Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground,
for the cor. of secs. 19, 24, 25, and 30, with brass cap
mkd.,

	T 48 S	
R 33 E		R 34 E
S 24		S 19
S 25		S 30
	1939	

from which,

A cypress, 6 ins. diam., bears N. $37\frac{3}{4}^{\circ}$ E., 29 lks.
dist., mkd. T 48 S R 34 E S 19 B T

A cypress, 5 ins. diam., bears S. $54\frac{3}{4}^{\circ}$ E., 24 lks.
dist., mkd. T 48 S R 34 E S 30 B T

A cypress, 5 ins. diam., bears S. 21° W., 88 lks.
dist., mkd. T 48 S R 33 E S 25 B T

A cypress, 5 ins. diam., bears N. $68\frac{1}{2}^{\circ}$ W., 25 lks.
dist., mkd. T 48 S R 33 E S 24 B T

Land, almost level.
Soil, sandy loam and muck, 3rd rate.
Timber, cypress and pine; undergrowth young trees and
palmetto.

N. $1^{\circ} 12'$ W., bet. secs. 19 and 24, marking and blazing
the true line through the timber.

Over level swamp land, along the west side of an old fence
Indian land on both sides of the line.

0.19

A fence corner, fences bear south and west.

16.00

Leave swamp, enter a palmetto knoll, bears NE. and SW.

20.00

Leave knoll, enter same swamp, bears E. and W.

38.00

Leave swamp, enter grass land, bears NW. and SE.

40.39

Proportionate distance; there is no remaining evidence of
the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground,
for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

	$\frac{1}{4}$	
S 24		S 19
	1939	

from which,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains																
	A cypress, 4 ins. diam., bears S. 46° E., 491 lks. dist., mkd. $\frac{1}{4}$ S 19 B T															
	A cypress, 6 ins. diam., bears S. 26 $\frac{3}{4}$ ° W., 285 lks. dist., mkd. $\frac{1}{4}$ S 24 B T															
50.00	Enter scattering cypress, bears E. and W.															
51.60	Leave cypress, continue over open grass land, bears E. and W.															
60.00	Enter scattering cypress and semi-swamp land, bears NE. and SW.															
80.78	The cor. of secs. 13, 18, 19, and 24, identified from the remains of the original bearing trees.															
	Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 13, 18, 19, and 24, with brass cap mkd.,															
	<table><tr><td></td><td>T 48 S</td><td></td></tr><tr><td>R 33 E</td><td> </td><td>R 34 E</td></tr><tr><td>S 13</td><td> </td><td>S 18</td></tr><tr><td>S 24</td><td> </td><td>S 19</td></tr><tr><td colspan="3">1939</td></tr></table> from which,		T 48 S		R 33 E		R 34 E	S 13		S 18	S 24		S 19	1939		
	T 48 S															
R 33 E		R 34 E														
S 13		S 18														
S 24		S 19														
1939																
	The remains of the original bearing trees,															
	A cypress, 8 ins. diam., bears S. 15° W., 27 lks. dist., chopped out rotted blaze and traces of scribe marks. Ring growth checks close to the date of the original survey.															
	And new bearing trees,															
	A cypress, 8 ins. diam., bears N. 52 $\frac{1}{2}$ ° E., 42 lks. dist., mkd. T 48 S R 34 E S 18 B T															
	A cypress, 10 ins. diam., bears S. 60° E., 22 lks. dist., mkd. T 48 S R 34 E S 19 B T															
	A cypress, 6 ins. diam., bears S. 44 $\frac{1}{2}$ ° W., 33 lks. dist., mkd. T 48 S R 33 E S 24 B T															
	A cypress, 6 ins. diam., bears N. 23 $\frac{1}{2}$ ° W., 49 lks. dist., mkd. T 48 S R 33 E S 13 B T															
	Land, almost level. Soil, sandy loam and muck, 3rd rate. Timber, cypress and pine; undergrowth, young trees and palmetto.															
	N. 1° 49' W., bet. secs. 13 and 18, marking and blazing the true line through the timber.															
	Over almost level swamp land. Indian land on both sides of the line.															
0.20	A fence corner, fences bear N. and W. Thence along fence.															
5.00	Enter heavy cypress swamp and deep water, bears NE. and SW.															
13.00	Center of a high knoll, about 1.50 chs. wide, bears E. and W.															

Dependent Resurvey of the Boundaries, Seminole Indian
 Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains 23.60	The center of a palmetto knoll, about 1.00 ch. wide, bears E. and W.
40.10	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd., $\begin{array}{c} \frac{1}{4} \\ \text{S } 13 \mid \text{S } 18 \\ 1939 \end{array}$ from which, A cypress, 7 ins. diam., bears N. $71\frac{1}{2}^{\circ}$ E., 72 lks. dist., mkd. $\frac{1}{4}$ S 18 B T A cypress, 8 ins. diam., bears S. $37\frac{1}{2}^{\circ}$ W., 65 lks. dist., mkd. $\frac{1}{4}$ S 13 B T
47.50	Leave swamp, enter oak and palmetto, bears E. and W.
48.70	A hand graded road, bears N. 75° W. and S. 75° E.
53.20	Leave high land, enter a cypress swamp, bears SW. and NE.
77.00	Leave swamp, enter pine and palmetto, bears E. and W.
80.20	Proportionate distance; there is no remaining evidence of the original corner post or bearing trees. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 7, 12, 13, and 18, with brass cap mkd., $\begin{array}{c} \text{T } 48 \text{ S} \\ \text{R } 33 \text{ E} \mid \text{R } 34 \text{ E} \\ \text{S } 12 \mid \text{S } 7 \\ \hline \text{S } 13 \mid \text{S } 18 \\ 1939 \end{array}$ from which, A pine, 6 ins. diam., bears N. $68\frac{3}{4}^{\circ}$ E., 184 lks. dist., mkd. T 48 S R 34 E S 7 B T A pine, 10 ins. diam., bears S. $44\frac{1}{4}^{\circ}$ E., 168 lks. dist., mkd. T 48 S R 34 E S 18 B T A pine, 14 ins. diam., bears S. 83° W., 66 lks. dist., mkd. T 48 S R 33 E S 13 B T A cabbage palm, 10 ins. diam., bears N. $12\frac{3}{4}^{\circ}$ W., 52 lks. dist., mkd. with an "X" Land, almost level. Soil, sandy loam and muck, 3rd rate. Timber, cypress, bay, and pine with a few oak; undergrowth young timber and palmetto.
	N. 1° 49' W., bet. secs. 7 and 12, marking and blazing the true line through the timber. Over almost level land, through scattering pine and heavy palmetto, along an old fence line. Indian Land on both sides of the line.
4.00	Leave high land, enter a cypress swamp, bears NE. and SW.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains
12.80

Leave swamp, enter pine and palmetto, bears E. and W.

40.10

The $\frac{1}{4}$ sec. cor. which is marked by a pine stake, 2 ins. by 4 ins. by 36 ins., set firmly in the ground, with faint scribe marks. This pine stake has the appearance of being very old. In place of the stake,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 28 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$
S 12 | S 7
1939

from which,

A pine, 7 ins. diam., bears N. $72\frac{1}{2}^{\circ}$ E., 162 lks. dist., mkd. $\frac{1}{4}$ S 7 B T

A pine, 8 ins. diam., bears WEST, 89 lks. dist., mkd. $\frac{1}{4}$ S 12 B T

Thence,

N. $1^{\circ} 14'$ W., bet. secs. 7 and 12 (North half).

Over almost level land, through pine and palmetto.

17.70

Leave pine and palmetto, enter a cypress swamp, bears E. and W.

31.00

Leave swamp, enter pine and palmetto, bears NE. and SW.

40.32

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 28 ins. in the ground, for the cor. of secs. 1, 6, 7, and 12, with brass cap mkd.,

T 48 S
R 33 E | R 34 E
S 1 | S 6
S 12 | S 7
SIL
1939

from which,

A live oak, 20 ins. diam., bears N. $1\frac{1}{2}^{\circ}$ E., 338 lks. dist., mkd. T 48 S R 34 E S 6 B T

No bearing tree available to the southeast.

A cypress, 9 ins. diam., bears S. $35\frac{1}{2}^{\circ}$ W., 242 lks. dist., mkd. T 48 S R 33 E S 12 B T

A maple, 10 ins. diam., bears N. $23\frac{3}{4}^{\circ}$ W., 325 lks. dist., mkd. T 48 S R 33 E S 1 B T

Land, almost level.

Soil, sandy loam and muck, 3rd rate.

Timber, pine, cypress, and oak; undergrowth, young trees and palmetto.

To develop control for the boundary of Indian Land in T. 48 S., R. 34 E., the range line is continued.

N. $1^{\circ} 14'$ W., bet. secs. 1 and 6, on the true line.

**Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.**

**Chains
80.64**

The cor. of Tps. 47 and 48 S., Rs. 33 and 34 E. which is a standard state iron pipe with a brass cap marker and which is accepted as the best remaining evidence of the original corner.

In place of the standard state iron pipe,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of Tps. 47 and 48 S., Rs. 33 and 34 E., with brass cap mkd.,

	T 47 S	
R 33 E		R 34 E
S 36		S 31
S 1		S 6
T 48 S		
1939		

from which,

An ash, 7 ins. diam., bears N. $36\frac{1}{2}^{\circ}$ E., 33 lks. dist., mkd. T 47 S R 34 E S 31 B T

An ash, 8 ins. diam., bears S. $64\frac{1}{2}^{\circ}$ E., 29 lks. dist., mkd. T 48 S R 34 E S 6 B T

A maple, 10 ins. diam., bears S. $38\frac{1}{2}^{\circ}$ W., 51 lks. dist., mkd. T 48 S R 33 E S 1 B T

A water oak, 10 ins. diam., bears N. $0^{\circ} 15'$ W., 89 lks. dist., mkd. T 47 S R 33 E S 36 B T

Reset the standard state iron pipe along the N. side.

The north boundary of T. 48 S., R. 34 E. as surveyed by the State of Florida in 1916 and 1917 was accepted as the best remaining evidence of the original survey. The line as established agrees with the topography given in the original field notes.

From the corner of Tps. 47 and 48 S., Rs. 33 and 34 E., N. $88^{\circ} 56'$ E., bet. secs. 6 and 31, Tps. 47 and 48 S., R. 34 E.

79.92

The cor. of secs. 5, 6, 31, and 32, which is a standard state iron pipe with brass cap marker.

In place of the iron pipe,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of secs. 5, 6, 31, and 32, with brass cap mkd.,

T 47 S	R 34 E
S 31	S 32
S 6	S 5
T 48 S	
1939	

from which,

The bearing trees taken by the State,

An oak stump, 10 ins. diam., bears S. $46\frac{1}{2}^{\circ}$ E., 264 lks. dist.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

A live oak, 15 ins. diam., bears N. $66\frac{1}{4}^{\circ}$ E.,
101 lks. dist.

A live oak, 24 ins. diam., bears N. $63\frac{1}{4}^{\circ}$ W.,
203 lks. dist., mkd. with hacks facing the cor.

And new bearing trees,

A live oak, 15 ins. diam., bears N. $66\frac{1}{4}^{\circ}$ E.,
101 lks. dist., mkd. T 47 S R 34 E S 32 B T

A live oak, 8 ins. diam., bears S. 40° E., 157
lks. dist., mkd. T 48 S R 34 E S 5 B T

No bearing tree available to the southwest.

A live oak, 24 ins. diam., bears N. $63\frac{1}{4}^{\circ}$ W., 203
lks. dist., mkd. T 47 S R 34 E S 31 B T

N. 89° 26' E., bet. secs. 5 and 32.

80.07

The cor. of secs. 4, 5, 32, and 33, as determined from
the remains of the state bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground,
for the cor. of secs. 4, 5, 32, and 33, with brass cap
mkd.,

T47S	R34E
S 32	S 33
S 5	S 4
T48S	
1939	

from which,

The remains of the original state bearing trees,

An oak stump, 10 ins. diam., bears N. 19° E.,
188 lks. dist.

A live oak, 12 ins. diam., bears S. 58° E., 240
lks. dist., mkd. with hacks facing the cor., to
which is added the marks T 48 S R 34 E S 4 B T

A cabbage palm, 10 ins. diam., bears N. $77\frac{1}{2}^{\circ}$ W.,
130 lks. dist., mkd. with hacks facing the cor.,
to which is added an "X"

No other bearing trees available.

N. 89° 35' E., bet. secs. 33 and 4.

79.99

The cor. of secs. 3, 4, 33, and 34, which is marked by
a standard state iron pipe with brass cap marker.

In place of the iron pipe,

Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground,
for the cor. of secs. 3, 4, 33, and 34, with brass cap
mkd.,

T47S	R34E
S 33	S 34
S 4	S 3
T48S	
1939	

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

No bearing trees available.

Reset the standard state iron pipe along the north side of monument.

A cypress post, 4 ins. square, 5 ft. long, set 2 ft. in the ground, bears N., 1 lk. dist.

N. 89° 11' E., bet. secs. 3 and 34.

80.04

The cor. of secs. 2, 3, 34, and 35, which is marked by a standard state iron pipe with brass cap marker.

In place of the iron pipe,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of secs. 2, 3, 34, and 35, with brass cap mkd.,

T47S	R34E
S 34	S 35
S 3	S 2
T48S	
1939	

No bearing trees available.

Reset the standard state iron pipe along the north side of monument.

A cypress post, 4 ins. square, 5 ft. long, set 2 ft. in the ground, bears N., 1 lk. dist.

N. 89° 26' E., bet. secs. 2 and 35.

79.98

The cor. of secs. 1, 2, 35, and 36, which is marked by a standard state iron pipe with brass cap marker.

In place of the iron pipe,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 18 ins. in soft muck, for the cor. of sec. 1, 2, 35, and 36, with brass cap mkd.,

T47S	R34E
S 35	S 36
S 2	S 1
T48S	
1939	

No bearing trees available.

Reset the standard state iron pipe along the north side of the monument.

A cypress post, 4 ins. square, 5 ft. long, set 2 ft. in the ground, bears N., 1 lk. dist.

The standard state iron pipe was not found at the cor. of Tps. 47 and 48 S., Rs. 34 and 35 E.; therefore, the line bet. secs. 1 and 36, Tps. 47 and 48 S., R. 34 E. was run on a mean bearing obtained from the five miles to the west and was placed at a record distance of 80 chs.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	
	Thence, From the cor. of secs. 1, 2, 35, and 36, Tps. 47 and 48 S., R. 34 E. N. 89° 18' E., bet. secs. 1 and 36. 80.00 The cor. of Tps. 47 and 48 S., Rs. 34 and 35 E. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 18 ins. in the ground, for the cor. of Tps. 47 and 48 S., Rs. 34 and 35 E., with brass cap mkd., <div><div>T 47 S R 34 E R 35 E S 36 S 31 S 1 S 6 T 48 S 1939</div></div> No bearing trees available. A cypress post, 4 ins. square, 5 ft. long, set 2 ft. in the ground, bears N., 1 lk. dist.
	From the cor. of secs. 1, 6, 7, and 12, T. 48 S., Rs. 33 and 34 E., previously described. N. 88° 50' E., bet. secs. 6 and 7, marking and blazing the true line. Over almost level grass land and patches of palmetto. Along the boundary of Indian Land with private land to the north.
11.10	Leave grass land, enter an ash thicket, bears NW. and SE.
18.50	Leave thicket, enter grass land and patches of palmetto, bears N. and S.
20.46	Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.
40.43	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd., <div><div>$\frac{1}{4}$ S 6 S 7 SIL 1939</div></div> No bearing trees available. A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N. 1 lk. dist.
46.20	Enter a cypress pond, bears NW. and SE.
58.80	Leave pond, enter open grass land, bears N. 20° W., and S. 20° E.
60.40	Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains
80.37

Proportionate distance; there is no remaining evidence of the original corner post, or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 5, 6, 7, and 8, with brass cap mkd.,

T48S R34E	
S 6	S 5
S 7	S 8

SIL
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

The cor. of secs. 5, 6, 31 and 32, Tps. 47 and 48 S., R. 34 E. bears N. $1^{\circ} 32'$ W., 80.51 chs. dist., previously described.

The cor. of secs. 1, 2, 11, and 12, T. 48 S., R. 34 E., bears N. $89^{\circ} 13'$ E., 319.57 chs. dist., hereinafter described.

Land, almost level.

Soil, sandy loam, 3rd rate.

Timber, cypress and ash in the swamps; undergrowth palmetto and young trees.

S. $1^{\circ} 34'$ E., bet. secs. 7 and 8, marking and blazing the true line.

Over level, open, grass land. Along the boundary of Indian Land with private land to the east.

11.40 Leave grass land, enter an ash thicket, bears NE. and SW.

20.15 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

21.50 Leave thicket, enter open grass land, bears E. and W.

40.30 Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$	
S 7	S 8

SIL
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

60.45 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

62.00 Line is tangent to the E. edge of an ash thicket.

80.60 Proportionate distance; there is no remaining evidence of

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 7, 8, 17, and 18, with brass cap mkd.,

T48S R34E
S 7 | S 8
SIL S18 | S17
SIL
1939

from which,

A pine, 5 ins. diam., bears S. $19\frac{1}{4}^{\circ}$ E., 398 lks. dist., mkd. T 48 S R 34 E S 17 B T

A pine, 12 ins. diam., bears S. $1\frac{1}{4}^{\circ}$ W., 468 lks. dist., mkd. T 48 S R 34 E S 18 B T

No other bearing trees available.

The cor. of secs. 7, 12, 13, and 18, T. 48 S., Rs. 33 and 34 E., bears S. $88^{\circ} 58'$ W., 80.41 chs. dist., previously described.

The cor. of secs. 5, 6, 31 and 32, Tps. 48 and 49 S., R. 34 E., bears S. $0^{\circ} 58'$ E., 322.30 chs. dist., hereinafter described.

Land, almost level.

Soil, sandy loam, 3rd rate.

Timber, ash and cypress in the swamps, a few scattering pine on the south part of the line; undergrowth palmetto and young timber.

N. $89^{\circ} 00'$ E., bet. secs. 8 and 17, marking and blazing the true line.

Over almost level, open, grass land with scattering patches of palmetto. Along the boundary of Indian Land with private land to the north.

19.91 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

35.00 Leave grass land, enter a cypress pond, bears NW. and SE.

39.82 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

S 8
 $\frac{1}{4}$ S 17
SIL
1939

from which,

A cypress, 10 ins. diam., bears S. 45° E., 1 lk. dist., mkd. $\frac{1}{4}$ S 17 B T

A cypress, 14 ins. diam., bears N. 54° W., 26 lks. dist., mkd. $\frac{1}{4}$ S 8 B T

44.30 Leave pond, enter open grass land, bears N. and S.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

59.74

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

65.30

Leave grass land, enter a cabbage palm hammock, bears N. and S.

68.90

Leave hammock, enter a cypress pond, bears N. and S.

71.90

Leave pond, enter open grass land, bears NE. and SW.

79.65

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 8, 9, 16, and 17, with brass cap mkd.,

T48S	R34E
S 8	S 9
S 17	S 16
SIL	
1939	

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

The cor. of secs. 4, 5, 32, and 33, Tps. 47 and 48 S., R. 34 E., bears N. $1^{\circ} 24'$ W., 160.52 chs. dist., previously described.

The cor. of secs. 4, 5, 32, and 33, Tps. 48 and 49 S., R. 34 E., bears S. $1^{\circ} 00'$ E., 321.52 chs. dist., hereinafter described.

Land, almost level.

Soil, sandy loam, 3rd rate.

Timber, cypress, cabbage palm, and ash; undergrowth young timber.

N. $89^{\circ} 20'$ E., bet. secs. 9 and 16, marking and blazing the true line.

Over level, open, grass land. Along the boundary of Indian Land with private land to the north.

19.97½

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.95

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,

¼	S 9
	S 16
	SIL
	1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains
59.92½

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.90

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 9, 10, 15, and 16, with brass cap mkd.,

T48S	R34E
S 9	S 10
S 16	S 15
SIL	
1939	

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

The cor. of secs. 3, 4, 33, and 34, Tps. 47 and 48 S., R. 34 E., bears N. 1° 21' W., 160.26 chs. dist. previously described.

The cor. of secs. 3, 4, 33, and 34, Tps. 48 and 49 S., R. 34 E., bears S. 1° 02' E., 320.32 chs. dist. hereinafter described.

Land, almost level.
Soil, sandy loam, 3rd rate.
Timber, none.

N. 88° 49' E., bet. secs. 10 and 15, marking the true line.

Over almost level, open, grass land. Along the boundary of Indian Land with private land to the north.

19.91

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.82½

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,

S 10
¼ S 15
SIL
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

59.74

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.65

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground,

Dependent Resurvey of the Boundaries, Seminole Indian Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

for the cor. of secs. 10, 11, 14, and 15, with brass cap mkd.,

T48S R34E
S 10 | S 11
S 15 | S 14
SIL
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

The cor. of secs. 2, 3, 34, and 35, Tps. 47 and 48 S., R. 34 E., bears N. 1° 13' W., 159.77 chs. dist., previously described.

The cor. of secs. 2, 3, 34, and 35, Tps. 48 and 49 S., R. 34 E., bears S. 1° 05' E., 319.78 chs. dist., hereinafter described.

Land, almost level.
Soil, sandy loam, 3rd rate.
Timber, none.

N. 89° 05' E., bet. secs. 11 and 14, marking the true line.

Over almost level, open, grass land. Along the boundary of Indian land with private land to the north.

19.92½ Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.85 Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,

¼ S 11
S 14
SIL
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

59.77½ Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.70 Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 11, 12, 13, and 14, with brass cap mkd.,

T48S R34E
S 11 | S 12
S 14 | S 13
SIL
1939

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

The cor. of secs. 1, 2, 35, and 36, Tps. 48 and 49 S., R. 34 E., bears S. $1^{\circ} 07'$ E., 319.10 chs. dist., hereinafter described.

The cor. of secs. 7, 12, 13, and 18, T. 48 S., Rs. 34 and 35 E., bears N. $89^{\circ} 08'$ E., 80.07 chs. dist., hereinafter described.

Land, almost level.
Soil, sandy loam, 3rd rate.
Timber, none.

N. $1^{\circ} 04'$ W., bet. secs. 11 and 12, marking the true line.

Over almost level, open, grass land. Along the boundary of Indian Land, with private land to the west.

19.94 Set a pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.88 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$
 S 11 | S 12
 SIL
 1939

No bearing trees available.

A pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

40.00 Enter saw-grass and marshy land, bears NW. and SE.

59.83 Set a pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.77 Proportionate distance; there is no remaining evidence of the original corner post or bearing trees..

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 1, 2, 11, and 12, with brass cap mkd.,

T48S | R34E
 S 2 | S 1
 ————
 S 11 | S 12
 SIL
 1939

No bearing trees available.

A pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

Dependent Resurvey of the Boundaries, Seminole Indian
Land, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

The cor. of secs. 1, 2, 11, and 12, Tps. 47 and 48 N., R. 34 E., bears N. 1° 07' W., 79.54 chs. dist., previously described.

The cor. of secs. 5, 6, 7, and 8, T. 48 S., R. 34 E., bears S. 89° 13' W., 319.57 chs. dist., previously described.

Land, almost level.

Soil, sandy loam and muck, 3rd and 2nd rate.

Timber, none.

N. 89° 19' E., bet. secs. 1 and 12, marking the true line.

Over almost level marshy land, through saw-grass. Along the boundary of Indian Land with private land to the north.

19.99 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.98½ Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 26 ins. in the ground, for the ¼ sec. cor., with brass cap mkd.,

$$\begin{array}{r} \frac{1}{4} \text{ S } 1 \\ \text{S } 12 \\ \text{SIL} \\ 1939 \end{array}$$

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

59.98 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.97 Proportionate distance; there is no remaining evidence of the original corner post.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 5 ins. diam., 26 ins. in the ground, for the cor. of secs. 1, 6, 7, and 12, T. 48 S., Rs. 34 and 35 E., with brass cap mkd.,

$$\begin{array}{r} \text{T } 48 \text{ S} \\ \text{R } 34 \text{ E} \mid \text{R } 35 \text{ E} \\ \text{S } 1 \mid \text{S } 6 \\ \text{S } 12 \mid \text{S } 7 \\ \text{SIL} \\ 1939 \end{array}$$

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

The cor. of Tps. 47 and 48 S., Rs. 34 and 35 E., bears N. 1° 07' W., 79.52 chs. dist., previously described.

Land, almost level.

Soil, muck, 2nd rate.

Timber, none.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

S. 1° 07' E., bet. sec. 7 and 12, marking the true line.
Over almost level marshy land, through saw-grass. Along
the boundary of Indian Land with unsurveyed land to the E.

19.88 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in
the ground.

39.76 Proportionate distance; there is no remaining evidence of
the original corner post.
Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 5 ins. diam., 26 ins. in the ground,
for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

†
S 12 | S 7
SIL
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins.
in the ground, bears N., 1 lk. dist.

59.64 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in
the ground.

79.52 Proportionate distance; there is no remaining evidence of
the original corner post.
Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 5 ins. diam., 26 ins. in the ground,
for the cor. of secs. 7, 12, 13, and 18, T. 48 S., Rs. 34
and 35 E., with brass cap mkd.,

T 48 S
R34E | R35E
S 12 | S 7
SIL S 13 | S 18
1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins.
in the ground, bears N., 1 lk. dist.

Land, almost level.
Soil, muck, 3rd rate.
Timber, none.

S. 1° 07' E., bet. secs. 13 and 18, marking the true line.
Over almost level marshy land, through saw-grass. Along
the boundary of Indian Land with unsurveyed land to the E.

19.88 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in
the ground.

39.76 Proportionate distance; there is no remaining evidence of
the original corner post.
Set an iron post, 3 ft. long, 1 in. diam., encased in
concrete, 3 ft. long, 5 ins. diam., 26 ins. in the ground,
for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Land, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

$\frac{1}{2}$
 S 13 | S 18
 SIL
 1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

59.64 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.52 Proportionate distance; there is no remaining evidence of the original corner post.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 13, 18, 19, and 24, T. 48 S., R. 34 and 35 E., with brass cap mkd.,

T 48 S
 R34E | R35E
 S 13 | S 18
 SIL
 S 24 | S 19
 1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

Land, almost level.

Soil, muck, 1st rate if drained.

Timber, none.

S. 1° 07' E., bet. secs. 19 and 24, marking the true line.

Over almost level marshy land, through saw-grass. Along the boundary of Indian Land with unsurveyed land to the E.

19.88 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.76 Proportionate distance; there is no remaining evidence of the original corner post.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{2}$
 S 24 | S 19
 SIL
 1939

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

59.64 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.52 Proportionate distance; there is no remaining evidence of the original corner post or bearing tree.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 19, 24, 25, and 30, T. 48 S., Rs. 34 and 35 E., with brass cap mkd.,

T 48 S	
R34E	R35E
S 24	S 19
SIL	
S 25	S 30
1939	

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

Land, almost level.

Soil, muck, 1st rate if drained.

Timber, none.

S. 1° 07' E., bet. secs. 25 and 30, marking the true line.

Over almost level marshy land, through saw-grass. Along the boundary of Indian Land with unsurveyed land to the E.

19.88

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

39.76

Proportionate distance; there is no remaining evidence of the original corner post or bearing tree.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$	
S 25	S 30
SIL	
1939	

No bearing trees available.

A cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

59.64

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

79.52

Proportionate distance; there is no remaining evidence of the original corner post or bearing tree.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the cor. of secs. 25, 30, 31, and 36, T. 48 S., Rs. 34 and 35 E., with brass cap mkd.,

T 48 S	
R34E	R35E
S 25	S 30
SIL	
S 36	S 31
1939	

No bearing trees available.

A pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears N., 1 lk. dist.

Dependent Resurvey of the Boundaries, Seminole Indian Lands,
T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

Land, almost level.
Soil, muck, 1st rate if drained.
Timber, none.

S. 1° 07' E., bet. secs. 31 and 36, marking the true line.

Over almost level land, through saw-grass. Along the boundary of Indian Land with unsurveyed land to the east.

19.88 Set a pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

20.90 Enter a saw-grass pond, bears NW. and SE.

27.80 Leave pond, enter open grass land with scattering clumps of gallberry bushes, bears NE. and SW.

39.76 Proportionate distance; there is no remaining evidence of the original corner post or bearing tree.

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 26 ins. in the ground, for the $\frac{1}{4}$ sec. cor., with brass cap mkd.,

$\frac{1}{4}$
 S 36 | S 31
 SIL |
 1939

No bearing trees available.

A pine post, 4 ins. square, 5 ft. long, 30 ins. in the ground, bears S. 45° W., 1 lk. dist.

59.64 Set a pine post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

79.52 The point for the cor. of Tps. 48 and 49 S., Rs. 34 and 35 E., which was determined by using proportion between the cor. of Tps. 47 and 48 S., Rs. 34 and 35 E., and the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E., for latitude position, and record distance from the cor. of Tps. 48 and 49 S., Rs. 33 and 34 E. for meridional position. This method of restoration was used as the land to the east has not been surveyed.

NOTE:

The south boundary of T. 48 S., R. 34 E., was resurveyed by the County Engineer of Collier County in 1938, by running easterly from the corner of Tps. 48 and 49 S., Rs. 33 and 34 E., without what is considered proper control for the corner of Tps. 48 and 49 S., Rs. 34 and 35 E. After developing control for the reestablishment of the corner of Tps. 48 and 49 S., Rs. 34 and 35 E., as described above, the County Engineer, Mr. J. H. T. McGee, was fully advised in the matter, and he agreed to the control as adopted. In order to avoid leaving two sets of monuments for the south boundary of the township, the monuments which had been set in the resurvey of 1938 were, by agreement with the County Engineer, moved to the proper positions and reset.

Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 26 ins. in the ground, for the cor. of Tps. 48 and 49 S., Rs. 34 and 35 E. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

T 48 S
HENDRY
CO
SIL
36 | 31 R35E
R34E | BROWARD
COLLIER 1 | 6 CO
CO T 49 S

from which,

A cypress, 5 ins. diam., bears N. $51\frac{1}{2}^{\circ}$ E., 844 lks.
dist., mkd. T 48 S R 35 E S 31 B T.

A cypress, 5 ins. diam., bears S. $44\frac{1}{2}^{\circ}$ E., 117 lks.
dist., mkd. T 49 S R 35 E S 6 B T.

No bearing tree available to the southwest.

A cypress, 5 ins. diam., bears N. $44\frac{1}{2}^{\circ}$ W., 145 lks.
dist., mkd. T 48 S R 34 E S 36 B T.

Land, almost level.

Soil, muck, 1st rate if drained, sandy loam, 3rd rate.

Timber, a few scattered cypress.

Upon retracing the line bet. Rs. 34 and 35 E., T. 49 S., the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E., was found to be marked by a badly rotted cypress post, 28 ins. long, 3 ins. square, 12 ins. in the ground. In the six miles of line, one item of topography was given in the original field notes at 55.00 chs. north of the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E. This item of topography was found to check closely when measuring from the cypress post accepted as the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E.

In place of the cypress post,

Set an iron post, 3 ft. long, 1 in. diam., encased in concrete, 3 ft. long, 6 ins. diam., 24 ins. in the ground, for the cor. of Tps. 49 and 50 S., Rs. 34 and 35 E., with brass cap mkd.

T 49 S
R 34 E R 35 E
S 36 | S 31
S 1 | S 6
T 50 S
1939.

from which

A cypress, 6 ins. diam., bears N. $0^{\circ} 15'$ E., 37 lks. dist., mkd. T 49 S R 35 E S 31 B T.

A cypress, 4 ins. diam., bears S. $69\frac{1}{2}^{\circ}$ E., 56 lks. dist., mkd. T 50 S R 35 E S 6 B T.

No bearing tree available to the southwest.

A cypress, 5 ins. diam., bears N. 64° W., 51 lks. dist., mkd. T 49 S R 34 E S 36 B T.

The cor. of Tps. 48 and 49 S., Rs. 34 and 35 E., bears N. $0^{\circ} 13'$ W., 477.03 chs. dist.

From the cor. of Tps. 48 and 49 S., Rs. 34 and 35 E.

S. $88^{\circ} 27'$ W., bet. secs. 1 and 36, Tps. 48 and 49 S.,
R. 34 E., marking and blazing the true
line.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

Over almost level, open, grass land, with scattering cypress and bunches of gallberry bushes. Along the boundary of Indian Land and the line bet. Hendry and Collier Counties. Private land to the south.

20.01

Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.

40.01½

Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes.

Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 18 ins. in the ground, for the ¼ sec. corner. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL

36
+ 1

R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 6 ins. diam., bears N. 29½° E., 49 lks. dist., mkd. ¼ S 36 B T

A cypress, 6 ins. diam., bears S. 19½° E., 29 lks. dist., mkd. ¼ S 1 B T

43.20

Enter a myrtle and maple thicket, bears N. and S.

53.00

Leave thicket, enter a willow, ash, and saw-grass pond, bears, N. and S.

60.02

Set a cypress post, 4 ins. square, 5 ft. long, 30 ins. in the ground.

80.03

Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 20 ins. in the ground, for the cor. of secs. 1, 2, 35, and 36, Tps. 48 and 49 S., R. 34 E. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL

35 | 36
2 | 1

R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 10 ins. diam., partly dead, bears N. 9½° E., 95 lks. dist., mkd. T 48 S R 34 E S 36 B T

A cypress, 24 ins. diam., partly dead, bears S. 48½° E., 80 lks. dist., mkd. T 49 S R 34 E S 1 B T

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

No other bearing trees available.

Land, almost level.

Soil, sandy loam, 3rd rate; muck, 1st rate.

Timber, cypress, willow, maple, and bay; undergrowth,
young timber, myrtle, and vines.

S. 88° 27' W., bet. secs. 2 and 35, marking and blazing
the true line.

Over almost level land, through willow and ash timber.
Along the boundary of Indian land and the line bet.
Hendry and Collier Counties. Private land to the south.

10.90 Enter a cypress swamp, bears NE. and SW.

20.01 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
in the ground.

39.60 Leave swamp, enter a round palmetto knoll, bears N. and
S. Line passes almost through the center of the knoll.

40.01 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of
the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4 ins.
square, 18 ins. in the ground to bed rock, for the $\frac{1}{4}$ sec.
corner. In the center of the monument is an iron pipe,
39 ins. long, 1 in. diam., protruding 3 ins. above the
concrete. On the pipe is screwed a brass plate, 3 ins.
diam., $\frac{1}{4}$ in. thick., mkd.,

T 48 S
HENDRY COUNTY
SIL
35
 $\frac{1}{4}$ 2
R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 7 ins. diam., bears S. 43 $\frac{1}{4}$ ° E., 94
lks. dist., mkd. $\frac{1}{4}$ S 2 B T

A cypress, 7 ins. diam., bears N. 20 $\frac{1}{2}$ ° W., 118
lks. dist., mkd. $\frac{1}{4}$ S 35 B T

40.45 Leave palmetto knoll, enter a cypress swamp, bears N. and
S.

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in
the ground.

80.03 Proportionate distance; there is no remaining evidence of
the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4 ins.
square, 18 ins. in the ground, for the cor. of secs. 2,
3, 34, and 35, Tps. 48 and 49 S., R. 34 E. In the center
of the monument is an iron pipe, 39 ins. long, 1 in. diam.
protruding 3 ins. above the concrete. On the pipe is
screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in. thick., mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

T 48 S
HENDRY COUNTY
SIL
34 | 35
3 | 2
R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 10 ins. diam., bears N. 53° E., 17
lks. dist., mkd. T 48 S R 34 E S 35 B T

A cypress, 7 ins. diam., bears S. 58 $\frac{3}{4}$ ° E., 33
lks. dist., mkd. T 49 S R 34 E S 2 B T

A cypress, 6 ins. diam., bears S. 9 $\frac{1}{2}$ ° W., 21
lks. dist., mkd. T 49 S R 34 E S 3 B T

A cypress, 10 ins. diam., bears N. 89 $\frac{3}{4}$ ° W., 66
lks. dist., mkd. T 48 S R 34 E S 34 B T

Land, almost level.
Soil, muck in swamp, 1st rate.
Timber, cypress, bay, and gum; undergrowth young trees,
palmetto, and vines.

S. 88° 27' W., bet. secs. 3 and 34, marking and blazing
the true line.

Through a swamp, timber consists of cypress, bay, gum,
willow, and ash. Along the boundary of Indian Land and
the line bet. Hendry and Collier Counties. Private land
to the south.

14.00 Leave the heavy swamp, enter low cypress swamp, bears N.
and S.

20.01 Set a cypress post, 4 ins. square, 5 ft. long, 30 ins.
in the ground.

40.01 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of
the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4
ins. square, 18 ins. in the ground, for the $\frac{1}{4}$ sec. cor.
In the center of the monument is an iron pipe, 39 ins.
long, 1 in. diam., protruding 3 ins. above the concrete.
On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in.
thick, mkd.,

T 48 S
HENDRY COUNTY
SIL
34
 $\frac{1}{4}$ | 3
R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 12 ins. diam., bears S. 16° W., 10
lks. dist., mkd. $\frac{1}{4}$ S 3 B T

A cypress, 16 ins. diam., bears N. 58° W., 64
lks. dist., mkd. $\frac{1}{4}$ S 34 B T

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
in the ground.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	
70.70	Leave swamp, enter open grass land, bears N. and S.
71.53	A road, bears N. 20° E. and S. 20° W.
76.50	Leave grass land, enter low cypress swamp, bears N. and S.
80.03	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set a Collier County concrete monument, 3 ft. long, 4 ins. square, 24 ins. in the ground, for the cor. of secs. 3, 4, 33, and 34. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd., <div style="text-align: center;">T 48 S HENDRY COUNTY SIL 33 34 4 3 R 34 E COLLIER COUNTY T 49 S</div> from which, A cypress, 5 ins. diam., bears N. 45 1/2° E., 64 lks. dist., mkd. T 48 S R 34 E S 34 B T A cypress, 5 ins. diam., bears S. 18 1/2° E., 51 lks. dist., mkd. T 49 S R 34 E S 3 B T A cypress, 5 ins. diam., bears S. 50° W., 15 lks. dist., mkd. T 49 S R 34 E S 4 B T A cypress, 6 ins. diam., bears N. 25 1/2° W., 21 lks. dist., mkd. T 48 S R 34 E S 33 B T Land, almost level. Soil, muck and sandy loam, 2 nd rate. Timber, cypress, ash, bay, gum, and willow; undergrowth, young trees, palmetto, and vines.
	S. 88° 27' W., bet. secs. 33 and 4, marking and blazing the true line. Through a cypress swamp. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
16.50	Leave swamp, enter a willow slough, bears N. and S.
20.01	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
22.50	Leave slough, enter a cypress swamp, bears N. and S.
33.00	Leave swamp, enter scattering cypress and patches of open grass land, bears NW. and SE.
40.01 1/2	Proportionate distance; there is no remaining evidence of the original corner post or bearing stakes. Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the 1/4 sec. cor. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., 1/4 in. thick, mkd.,

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

T 48 S
HENDRY COUNTY
SIL
33
4
R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 14 ins. diam., bears N. 11° E., 63
lks. dist., mkd. $\frac{1}{4}$ S 33 B T

A cypress, 10 ins. diam., bears S. 7 $\frac{1}{4}$ ° E., 53
lks. dist., mkd. $\frac{1}{4}$ S 4 B T

42.60 Leave cypress, enter a palmetto and scrub oak hammock,
bears N. and S.

44.30 Leave hammock, enter open grass land, bears N. 20° E.
and S. 20° W.

50.00 Enter semi-swamp land with patches of palmetto, open grass
land, and scrub cypress, bears N. and S.

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
in the ground.

80.03 Proportionate distance; there is no remaining evidence of
the original corner post or bearing stakes.

Set a Collier County concrete monument, 3 ft. long, 4
ins. diam., 24 ins. in the ground, for the cor. of secs.
4, 5, 32, and 33. In the center of the monument is an
iron pipe, 1 in. diam., 39 ins. long, protruding 3 ins.
above the concrete. On the pipe is screwed a brass plate,
3 ins. diam., $\frac{1}{4}$ in. thick, mkd.,

T 48 S
HENDRY COUNTY
SIL
32 | 33
5 | 4
R 34 E
COLLIER COUNTY
T 49 S

from which,

A cypress, 16 ins. diam., bears N. 47° E., 74
lks. dist., mkd. T 48 S R 34 E S 33 B T

A cypress, 20 ins. diam., bears S. 14° E., 50
lks. dist., mkd. T 49 S R 34 E S 4 B T

A cypress, 20 ins. diam., bears S. 77° W., 37
lks. dist., mkd. T 49 S R 34 E S 5 B T

A cypress, 20 ins. diam., bears N. 13° W., 68
lks. dist., mkd. T 48 S R 34 E S 32 B T

Land, almost level.
Soil, muck and sandy loam, 2nd and 3rd rate.
Timber, cypress, bay, ash, and gum; undergrowth, palmetto,
young trees, and vines.

S. 88° 27' W., bet. secs. 5 and 32, marking and blazing
the true line.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains	Through a cypress swamp which varies from heavy to low cypress. Along the boundary of Indian Land and the line between Hendry and Collier Counties. Private land to the south.
20.01	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
40.01½	<p>Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the ¼ sec. cor. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,</p> <div><div>T 48 S HENDRY COUNTY SIL 32 + 5 R 34 E COLLIER COUNTY T 49 S</div><div>from which,</div></div> <p>A cypress, 7 ins. diam., bears S. 10° E., 41 lks. dist., mkd. ¼ S 5 B T</p> <p>A cypress, 6 ins. diam., bears N. 12¾° W., 27 lks. dist., mkd. ¼ S 32 B T</p>
49.50	Leave swamp, enter palmetto, bears N. 20° E., and S. 20° W.
52.20	Leave palmetto, enter a grass marsh, bears N. 20° E. and S. 20° W.
60.02	Set a cypress post, 4 ins. square, 5 ft. long, 24 ins. in the ground.
68.20	Leave marsh, enter palmetto, bears NW. and SE.
71.50	Leave palmetto, enter open grass land, bears N. and S.
74.00	Leave grass land, enter a cypress swamp, bears NE. and S. 20° W.
79.00	Leave swamp, enter a saw-grass marsh, bears NE. and SW.
80.03	<p>Proportionate distance; there is no remaining evidence of the original corner post or bearing trees.</p> <p>Set a Collier County concrete monument, 3 ft. long, 4 ins. diam., 24 ins. in the ground, for the cor. of secs. 5, 6, 31, 32. In the center of the monument is an iron pipe, 39 ins. long, 1 in. diam., protruding 3 ins. above the concrete. On the pipe is screwed a brass plate, 3 ins. diam., ¼ in. thick, mkd.,</p> <div><div>T 48 S HENDRY COUNTY SIL 31 32 6 5 R 34 E COLLIER COUNTY T 49 S</div><div>from which,</div></div>

Dependent Resurvey of the Boundaries, Seminole Indian
 Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains

A cypress, 8 ins. diam., bears N. 86° E., 38
 lks. dist., mkd., T 48 S R 34 E S 32 B T

A cypress, 10 ins. diam., bears S. 51° E., 89
 lks. dist., mkd. T 49 S R 34 E S 5 B T

A cypress, 6 ins. diam., bears S. $37\frac{1}{2}^{\circ}$ W., 121
 lks. dist., mkd. T 49 S R 34 E S 6 B T

A cypress, 12 ins. diam., bears N. $28\frac{1}{2}^{\circ}$ W., 249
 lks. dist., mkd. T 48 S R 34 E S 31 B T

Land, almost level.

Soil, sandy loam and muck, 3rd and 2nd rate.

Timber, cypress, bay, ash, and gum; undergrowth, palmetto,
 young trees, and vines.

S. 88° 27' W., bet. secs. 6 and 31, marking and blazing
 the true line.

Through a saw-grass marsh. Along the boundary of Indian
 land and the line between Hendry and Collier Counties.
 Private land to the south.

1.80 Leave saw-grass marsh, enter a cypress swamp, bears N.
 and S.

15.00 A road, bears N. 20° E. and S. 20° W.

20.01 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
 in the ground.

31.00 Leave swamp, enter scattering pine and palmetto, bears
 S. 70° E. and N. 70° W.

40.01 $\frac{1}{2}$ Proportionate distance; there is no remaining evidence of
 the original corner post or bearing trees.

Set a Collier County concrete monument, 3 ft. long, 4
 ins. square, 24 ins. in the ground, for the $\frac{1}{4}$ sec. cor.
 In the center of the monument is an iron pipe, 39 ins.
 long, 1 in. diam., protruding 3 ins. above the concrete.
 On the pipe is screwed a brass plate, 3 ins. diam., $\frac{1}{4}$ in.
 thick, mkd.,

T 48 S
 HENDRY COUNTY
 SIL
 31
 $\frac{1}{4}$ 6
 R 34 E
 COLLIER COUNTY
 T 49 S

from which,

A pine, 4 ins. diam., bears N. $70\frac{1}{2}^{\circ}$ E., 146
 lks. dist., mkd. $\frac{1}{4}$ S 31 B T

A pine, 12 ins. diam., bears S. $6\frac{1}{2}^{\circ}$ E., 204
 lks. dist., mkd. $\frac{1}{4}$ S 6 B T

54.30 Enter a cypress swamp, bears NW. and SE.

60.02 Set a cypress post, 4 ins. square, 5 ft. long, 24 ins.
 in the ground.

66.30 Leave swamp, enter scattering pine and palmetto, bears
 NW. and SE.

Dependent Resurvey of the Boundaries, Seminole Indian
Lands, T. 48 S., R. 34 E., Tallahassee Meridian, Florida.

Chains
75.00

Leave pine and palmetto, enter a cypress swamp, bears NW. and SE.

81.28

The cor. of Tps. 48 and 49 S., Rs. 33 and 34 E., previously described.

Land, almost level.

Soil, sandy loam and muck, 2nd and 3rd rate.

Timber, cypress, pine, and ash; undergrowth, palmetto, young timber and vines.

GENERAL DESCRIPTION

The land in this township is almost level. A maximum difference of one to three feet is found between the high pine land and the swamps. Most of the land is subject to inundation during the wet season.

The soil on the high land is composed mainly of sand with decayed vegetation. In the swamps, it is muck. The subsoil everywhere is white or yellow sand and lime stone. Outcroppings of the stone are to be found in some places.

The timber in the swamps is predominately cypress with some, ash, gum, bay, and willow. In the western part and on the high land, scattering pine and palmetto is to be found. The high land in the eastern part is mostly open grass land with patches of palmetto.

The beginning of the main part of the Everglades' saw-grass marsh lies in the extreme eastern part of the township. It begins near the $\frac{1}{4}$ cor. of secs. 11 and 12 and extends south and some east to cross the east boundary near the $\frac{1}{4}$ cor. of secs. 31 and 36. This marsh is practically level. The soil is muck on which grows saw-grass, cane, and tall native grasses.

There are no improvements in the township except a road now being built by hand by the Indian "CCC" workers. There is one family of Indians living at what is known as Guava Camp, however their chickees are not permanent structures and soon disappear when deserted.

Fort Shackleford, Boat Landing, and Guava Camp are historical. The remains of Fort Shackleford which are in sec. 21, are still to be found. The Fort was built during the second Seminole Indian War. Boat Landing which is in sec. 15, was once the site of Sam Brown's trading post. Traces of the boat canal to the glades are still in evidence. The post was built early in the beginning of the twentieth century.

Resurvey completed March 12, 1939.

4-680
(Revised May 1934)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GENERAL LAND OFFICE

FIELD ASSISTANTS

NAMES		CAPACITY
Alfred Berger		Principal Assistant
Terry J. Broxson		Principal Assistant
Raymond L. Barnes		Chairman
John Cypress	Seminole Indians	Chairman
Henry Osceola		Chairman
Joe Doctor		Axeman
Little Charley		Axeman
Jim Boyde		Axeman
Whitney Osceola		Axeman
Billy Roberts		Axeman

CERTIFICATE OF SURVEYOR

I, Lester S. Mann, HEREBY CERTIFY upon honor that, in
supplemental
pursuance of special instructions bearing date of the 21st day of November 1938,
received from the Associate Supervisor of Surveys, supplemental
~~xxxxxx~~, with assignment
instructions dated November 22, 1938 have ~~xxxxxx~~ made the limited Dependent
Resurvey of the Exterior and Subdivisional Lines of Township 48
South, Range 34 East, to define the Exterior Boundaries of
Seminole Indian Lands.
of the Tallahassee Meridian, in the State of Florida, which are
represented in the foregoing field notes as having been executed by me and under my direction; and that said
survey has been made in strict conformity with said instructions, the Manual of Instructions for the Survey
of the Public Lands of the United States, and in the specific manner described in the foregoing field notes.
Washington, D.C. Lester S. Mann
August 24, 1939 Public Land Surveyor

CERTIFICATE OF APPROVAL

OFFICE OF SUPERVISOR OF SURVEYS,
Denver, Colorado, MAR 23 1940, 19


The foregoing field notes of the survey of ~~xxxxxx~~ limited Dependent Resurvey of the
Exterior and Subdivisional Lines of Township 48 South, Range
34 EAST, to define the Exterior Boundaries of Seminole Indian
Lands.

executed by Lester S. Mann, Public Land Surveyor,
supplemental
under special instructions dated November 21, 1938, and assignment
instructions dated November 22, 1938, having been critically examined, and
the necessary corrections made prior to their certification by the engineer, the said field notes, and the survey
therein described, are hereby approved.


Supervisor of Surveys.

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in
Florida filed in the General Land Office.
~~xxxxxxxxxxxxxxxxxxxxxxxxxxxx~~
is a true copy of the original field notes on file in the public survey office.


Supervisor of Surveys.

